



PART NUMBER	VESSEL CODE	BAG SIZE	IN. / MM	B IN. / MM	C IN. / MM	D IN. / MM	E IN. / MM	F IN. / MM	G IN. / MM	FLOW RATE GPM (MAX)	WEIGHT LBS / KGS
F3AVFB00208	FBF-0101-CS10-020N-L	01	5.37 / 136	19.64 / 499	26.13 / 663	10.42 / 265	36.80 / 935	24.40 / 620	12.88 / 327	90	30 / 13.6
F3AVFB00209	FBF-0102-CS10-020N-L	02	5.37 / 136	35.19 / 894	41.68 / 1059	10.42 / 265	67.75 / 1708	24.40 / 620	28.43 / 722	180	43 / 19.5





MOUNTING DETAIL

13.62 DIA BC (346mm)-0.39 DIA HOLE

(10mm)

NO.	PART NAME	MATERIAL			
1	BODY	CARBON STEEL			
2	RESTRAINER BASKET	316 STAINLESS STEEL			
3	ADAPTOR O-RING	BUNA-N			
4	BAG HOLD DOWN	316 STAINLESS STEEL			
5	O-RING	BUNA-N			
6	EYE BOLT	STEEL, ZINC PLATED			
7	EYE NUT	STEEL, ZINC PLATED			
8	PIN	STAINLESS STEEL			
9	LEGS	STAINLESS STEEL			
10	COVER	CARBON STEEL			
11	ADAPTOR PLATE	316 STAINLESS STEEL			

NOTES:

- 1. INLET/OUTLET "NPT" THREADED CONNECTIONS PER ANSI B1.20.1.
- 2. MAWP: 150 PSI @ 250° F (10.3 BAR @ 121.1° C) MDMT:

-20° F @ 150 PSI $(-28.9^{\circ} C \otimes 10.3 BAR)$

- 3. MAXIMUM OPERATING TEMP. 400° F (204.4° C) WITH VITON O-RING.
- 4. PAINT C/STL. PER HAYWARD STANDARD ES-301.

CERTFIED FOR: P.O. NO.: REG. NO.: QUOTE NO .: TAG NO.: FILTER BAG:

> UNAUTHORIZED USE, MANUFACTURE OR REPRODUCTION IN WHOLE OR IN PART IS PROHIBITED. DRAWING, DESIGN AND OTHER DISCLOSURES PROPERTY OF EATON FILTRATION, LLC

Quick & Discounted Pricing

Click Here

Or Call 908.362.9981

FATON

EATON FILTRATION, LLC

900 FAIRMOUNT AVENUE, ELIZABETH, NEW JERSEY 07207

D

FLOWLINE (FBF) FILTER VESSEL 2" NPT THREADED CONNECTION CARBON STEEL

DATE 7/17/02 CERT. DATE 7/17/02 DRAWN FJM SIZE REV

DWG FBF11XC-DPSSO

